

ETİÜLEKSİT (GROUND ULEXITE BIGADIC) SAFETY DATA SHEET

Date of Initial Issue: March 2007Revision No: 05Date of Revision: January 2018

ETİ MADEN İŞLETMELERİ GENEL MÜDÜRLÜĞÜ

Ayvalı Mah. Halil Sezai Erkut Cad. Afra Sok. No: 1/A 06010 Keçiören/Ankara TÜRKİYE



SECTION 1. Identification of the substance and of the company

1.1. Product identifier

Substance Name: Ulexite

CAS Nº: 1319-33-1

Trade name: ETİÜLEKSİT (Ground Ulexite Bigadic)

Chemical name/synonyms: Ulexite, Sodium-Calcium Pentaborate Octahydrate

REACH Registration No: Exempt from registration under REACH Regulation according to Article 2

(7) (b). Ulexite is a natural occurring mineral which is not chemically modifed, therefore, considered within the scope of Annex V (7) of the REACH Regulation.

1.2. Relevant identified uses of the substance and uses advised against

The product is used in industrial manufacturing, among others in:

Textile grade fiberglass Boron alloys Metallurgical fluxing Borosilicate glass

Uses advised against

Not applicable, there are no uses of Etiüleksit advised against.

1.3. Details of the supplier of the safety data sheet

Importer

 Name
 : AB ETIPRODUCTS OY

 Address
 : Piispanportti 5, 02240 Espoo/FINLAND

 Phone No
 : + 358 9 819 444 40

 Fax No
 : + 358 9 819 444 44

 e-mail
 : sales@etiproducts.com

Manufacturer

Name : ETİ MADEN İŞLETMELERİ GENEL MÜDÜRLÜĞÜ

Address : Ayvalı Mah. Halil Sezai Erkut Cad. Afra Sok. No:1/A 06010 Keçiören/Ankara TÜRKİYE

Phone No : +90 312 294 20 00

Fax No : +90 312 232 71 84

1.4. Emergency phone number: +49 (0)6132-84463 (24-Hour-Number) GBK GmbH



SECTION 2. Hazard identification

2.1. Classification of the substance

Etiüleksit is a naturally occurring mineral and does not meet the criteria for classification as hazardous according to Regulation EC 1272/2008.

2.1.1. Classification according to Regulation EC 1272/2008

No classification.

2.2. Label elements

No labelling

2.3. Other hazards

Etiüleksit is an inorganic substance and does not meet the criteria for PBT or vPvB substance.

SECTION 3. Composition / information on ingredients

3.1. Substances:

Chemical Nature of the Substance / Preparation

Etiüleksit is a mono-constituent substance and the main constituent is Ulexite (Sodium-Calcium Pentaborate Octahydrate).

Partical size : Etiüleksit -45 mikron min. 75%

Etiüleksit -75 mikron min. 82%

Common Name	Chemical Name	CAS No:	Wt. %
Ulexite	Sodium-Calcium Pentaborate Octahydrate	1319-33-1	83.90-89.00
Calcite	Calcium Carbonate	1317-65-3	6.00-10.00
Dolomite	Calcium Magnesium Carbonate	16389-88-1	1.00-2.00
Clay	-	-	4.00-6.00

SECTION 4. First aid measures

4.1. Description of first aid measures

4.1.1. Following skin contact

Etiüleksit is considered not to be a skin sensitizer based experience in handling and low absorption through skin. However prolonged contact might cause skin irritation. If skin contact occurs, remove contaminated clothing and wash skin with plenty of water and soap. If irritation occurs seek medical advice.

4.1.2. Following eye contact

Etiüleksit is not an eye irritant. However prolonged contact might cause eye irritation. If irritation occurs, check for and remove any contact lenses Flush thoroughly with water to cleanse eye for at least 15 minutes. If irritation persists consult a physician.



4.1.3. Following inhalation

Etiüleksit is not likely to be hazardous by inhalation. However, prolonged exposure to dust levels in excess of regulatory limits may cause irritation to nose and throat. If symptoms occur remove victim to fresh air.

4.1.4. Following ingestion

Swallowing small quantities of Etiüleksit (one teaspoon) is not normally harmful. If large amounts are swallowed, rinse mouth out with water, give a glass of water to drink and seek medical attention.

4.1.5. Notes for the doctor

Treat symptomatically.

SECTION 5. Fire-fighting measures

Etiüleksit is not flammable, combustible or explosive. The product is itself a flame retardant.

5.1. Extinguishing media

Any fire extinguishing media may be used on nearby fires.

5.2. Special hazards arising from the substance

Non-combustible material. Decomposes on heating, emitting toxic and noxious fumes. Decomposition products include oxides of sodium, oxides of calcium and oxides of boron.

5.3. Advise for fire-fighters

N.A

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personal

No personal protective equipment is normally needed to clean up spilled Etiüleksit. In case of exposure to high level of dust, wear protective equipment to prevent skin and eye contact and breathing in dust. Increase ventilation. Avoid generating dust.

6.1.2. For emergency responders

No special recommendations are required.

6.2. Environmental precautions

Do not allow the spilled substances to reach sewers or waterways. This substance will cause localized contamination of surrounding waters depending on the quantity dissolved. Etiüleksit is a moderately water soluble mineral. However at high concentrations some damage to local vegetation, fish and other aquatic life may be expected. If sewers and waterways are contaminated with large quantities of spilled Etiüleksit, advise your local waste management authority.

6.3. Methods and materials for containment and cleaning up

Sweep up spills and try to keep dust to a minimum. Use water spraying to prevent airborne dust generation. Industrial vacuum cleaner can also be used as an alternative. Collect and seal in properly labelled containers for safe disposal. Wash area down with water. Hold contaminated water for disposal.



6.4. Reference to other sections

See section 8 and 13.

SECTION 7. Handling and Storage

7.1. Precautions for safe handling

7.1.1. Protective measures

Avoid handling which leads to dust formation. Avoid skin and eye contact and breathing in dust. Provide appropriate exhaust ventilation at places where airborne dust is generated. Ensure an eye bath and safety shower are available and ready for use.

7.1.2. Advice on general occupational hygiene

Do not to eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions: Though Etiüleksit does not require any special precautions, it is sensitive to moisture. Protect from moister and direct sunlight. Store at ambient temperature. Store away from incompatible materials including reducing agents and acids. Minimize airborne dust generation during loading and unloading. The bags should be rotated on a "first-in-first-out" basis.

Packaging materials: Store in original packaging as approved by manufacturer.

Requirements for storage rooms and vessels: Store in a cool, dry, well-ventilated area. Indoor storage is recommended.

7.3. Specific end use(s)

If you require advice on specific uses, please contact your supplier.

SECTION 8. Exposure controls / personal protection

8.1. Control parameters

Occupational exposure limits;

OSHA-PEL^{*} : 15 mg/m³ total dust

 5 mg/m^3 respirable dust

Cal OSHA-PEL^{*} : 10 mg/m³

Biological limit values;

Currently, there is no Biological Limit Value (BLV) determined for this substance.

**OSHA PELs are based on an 8-hour time weighted average (TWA) exposure.* For the equivalent limits in other countries, please consult the local regulatory authority.



8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide general or local exhaust ventilation systems to maintain airborne concentrations of Etiüleksit dust below specific exposure limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

8.2.2. Personal protection equipment

Eye protection: Wear safety glasses with side-shields.

Skin protection: No specific requirement.

Hand protection: Wear impervious gloves, Always wash hands before smoking, eating, drinking or using the toilet.

Respiratory protection: In case of prolonged exposure to airborne dust concentrations, wear respiratory protective equipment that complies with requirements of European and national legislation.

8.2.3. Environmental exposure controls

No special requirements (See section 6).

SECTION 9. Physical and chemical properties

Appearance	: light grey, grounded
Odour	: Odourless
Odour threshold	: Not applicable
pH	: Not applicable
Melting point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Non flammable
Evaporation rate	: No data available
Flammability (solid, gas)	: Non flammable
Upper/lower flammability or explosive limits	: Non flammable
Vapour pressure	: Not applicable
Vapour density	: Not applicable
Relative density	: No data available
Solubility in water	: Moderately soluble
Partition coefficient: n-octanol/water	: No data available
Auto-Ignition temperature	: Not applicable
Decomposition temperature	: When heated above 45° C it looses its hydrate water.
Viscosity	: Not applicable
Explosion properties	: Non explosive
Oxidising properties	: Not applicable

9.1. Information on basic physical and chemical properties

9.2. Other information

Bulk Density

: $1 \text{ ton/m}^3 \text{ max}$.



SECTION 10. Stability and reactivity

10.1. Reactivity

Etiüleksit is a stable product.

10.2. Chemical stability

Etiüleksit is a stable product at room temperature under normal storage and handling conditions, but when heated it loses water.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Avoid excessive heat, direct sunlight, generating dust, moister, static discharges and high temperatures (See section 7).

10.5. Incompatible materials

Incompatible with oxidizing agents, acids, reducing agents and sources of ignition. Reaction with strong reducing agents such as metal hydrides will generate hydrogen gas which could create an explosive hazard (See section 7).

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

The product does not meet the criteria for classification as hazardous according to EC Regulation 1272/2008 as amended. Exempt from REACH registration in accordance with Annex V.7. A hazard assessment has been conducted by "Harlan Laboratories" and the outcome was that Ulexite is not a hazardous substance. Therefore, in absence of identified hazard, the substance is safe and presents no risk

Acute toxicity	Oral	No data available.
	Dermal	No data available.
	Inhalation	No data available.
	Classification for acute toxicity	is not warranted.
Skin corrosion /	No data available.	
irritation	Classification for irritation/corro	osion is not warranted.
Serious aye damage /	No data available.	
irritation	Classification is not warranted.	
Respiratory or skin	No data available.	
sensitization	Ulexite is considered not to be a	skin sensitiser based on experience in handling
	and low absorption through the	skin.



	Classification for sensitization is not warranted.	
Mutagenicity	in-vitro Mutagenicity	No data available.
	In-vivo Mutagenicity	No data available.
	Germ cell mutagenicity	No data available.
	Classification for mutagenicity is not warranted	
Carcinogenicity	No data available.	
	Classification for mutagenicity is not warranted.	
Reproductive toxicity	Fertility	No data available.
	Developmental toxicity	No data available.
Classification for reproductive toxicity is not warranted		xicity is not warranted
STOT – single exposure	No data available.	
5101 – single exposure	Classification for specific target organ toxicity is not warranted.	
STOT - repeated	No data available.	
exposure	Classification for specific target organ toxicity is not warranted.	
Aspiration hazard	Based on available data, the classification criteria are not met.	

SECTION 12. Ecological information

No data is available for Ulexite. However Ulexite acts like boric acid when dissolved in water. Therefore ecotoxicity data of boron are provided.

12.1. Toxicity

Phytotoxicity: Although Boron is an essential micronutrient for healthy growth of plants, it can be harmful to boron-sensitive plants in higher quantities. Care should be taken to minimize the amount of Ulexite released to the environment.

Fish Toxicity:

Rainbow Trout	24 day $LC_{50} = 150.0 \text{ mg/B/L}$	36 day NOEC-LOEC = 0.75-1 mg/B/L
(S.gairdneri)		
Goldfish	3 Day $LC_{50} = 178 \text{ mg B/L}$	7 day NOEC = 26.50 mg/B/L
(Carassius auratus)		

Invertebrate toxicity:

The acute toxicity (LC₅₀) to Daphnia magna Straus in natural water is reported to be 133 mg B/L (48 h). Chronic toxicity (21-day NOEC-LOEC) is reported to be 6-13 mg B/L.

12.2. Persistence and degradability

Boron is naturally occurring and ubiquitous in the environment.

12.3. Bio accumulative potential

Boron does not accumulate up the food chain. It is not expected to bio concentrate in fish.

12.4. Mobility in soil

Ulexite is poorly soluble in water and will leach through the soil at very slow rate.



12.5. Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. **12.6. Other adverse effects**

No specific adverse effects known.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Waste treatment methods: Small quantities of Etiüleksit can usually be disposed of at Municipal Landfill sites. No special disposal treatment is required, but refer to state and local regulations for applicable site-specific requirements. Tonnage quantities of product are not recommended to be sent to landfills. Such products should, if possible, be re-used for an appropriate application.

Product /Packaging disposal: Dust formation from residues in packaging should be avoided and suitable worker protection assured. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out in compliance with local regulations.

SECTION 14. Transport information

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard classes	: Not relevant : Not relevant : Not relevant
ADR IMDG	 Not classified Not classified Not classified Not classified
14.4. Packaging group14.5. Environmental hazards14.6. Special precautions for user14.7. Transport in bulk according to Ann.	 Not applicable Not relevant No special precautions ex II of MARPOL73/78 and the IBC Code: Not relevant

SECTION 15. Regulatory information

15.1. Safety health and environmental regulations/legislation specific for the substance:

National legislation / requirements

Not applicableNot applicable

International legislation / requirements

Chemical inventory listing

- EINECS : 603-535-3
- New Zealand NZIoC : 1319-33-1
- Australia AICS : 1319-33-1

Ensure all national/local regulations are observed.



15.2. Chemical Safety Assessment:

Exempt from REACH registration in accordance with Annex V.7. A hazard assessment has been conducted by "Harlan Laboratories Ltd." and the outcome was that Ulexite is not a hazardous substance. Therefore, in absence of identified hazard, the substance is safe and presents no risk.

SECTION 16. Other information

Data are based on our latest knowledge but do not constitute a guarantee for any specific product features and do not establish a legally valid contractual relationship.

16.1. Indication of changes:

This SDS has been compiled in accordance with Commission Regulation (EU) No 453/2010.

Revision No	Revision date	Revision content
04	June 2015	This SDS is updated in line with Eti Maden Corporate identity
05	January 2018	This SDS is updated in line with "Standardization and Simplification of
		Bag Printings".

16.2. Abbreviations and acronyms:

AICS	: Australian Inventory of Chemical Substances
EC N°	: EINECS Number: European Inventory of Existing Commercial Substances
Eti Maden	: Eti Maden İşletmeleri Genel Müdürlüğü
LC 50	: Median lethal concentration
LOEC	: Lowest Observed Effect Concentration
NOAEL	: No observed adverse effect level
NOEC	: No observable effect concentration
NZIoC	: New Zealand Inventory of Chemicals
OSHA	: Occupational Safety and Health Administration
PBT	: Persistent, bioaccumulative and toxic
PEL	: Permissible exposure limit.
SDS	: Safety Data Sheet
TWA	: The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.
vPvB	: Very persistent and very bioaccumulative

16.3. Key literature references and sources for data:

- 1. ECOTOX: http://www.epa.gov/ecotox
- 2. TOXNET: http://www.toxnet.nlm.nih.gov
- 3. Stewart KR (1991), Salmonella/microsome plate incorporation assay of boric acid. Testing laboratory: SRI International. Report No.:2389-A200-91. Owner company: U.S. Borax. Report date: 1991-08-12.
- O'Loughlin KG (1991), Bone marrow erythrocyte micronucleus assay of boric acid in Swiss Webster Mice. Testing laboratory: SRI International. Report No.:2389-C400-91. Owner company: U.S. Borax. Report date: 1991-08-19.
- NTP (1987), Toxicology and carcinogenesis studies of boric acid in B6C3F1 Mice (feed studies). National Toxicology Program (NTP) Technical Report Series: No. 324. Testing laboratory: US Department of Health and Human Services.
- 6. Weir RJ (1966c), Three generation reproductive study rats. Boric acid. Final report. Testing laboratory: Hazleton Laboratories Inc. Report No.: TX-66-16.
- 7. Weir RJ and Fisher RS (1972), Toxicologic studies on borax and boric acid. Toxicology and Applied Pharmacology 23:351-364.



- Duydu Y, Başaran N, Üstündağ A, Aydın S, Ündeğer Ü, Ataman OY, Aydos A, Düker Y, Ickstadt K, Waltrup BS, Golka K, Bolt HM (2011), Reproductive toxicity parameters and biological monitoring in occupationally and environmentally boron-exposed persons in Bandırma, Turkey. Arch Toxicol 85:589-600.
- Duydu Y, Başaran N, Üstündağ A, Aydın S, Ündeğer Ü, Ataman OY, Aydos A, Düker Y, Ickstadt K, Waltrup BS, Golka K, Bolt HM (2011), Assessment of DNA integrity (COMET) in sperm cells of boron-exposed workers. Arch Toxicol 86:27-35.
- Bland S (2011), Supporting services for the CLP notification of ulexite according to Regulation (EC) No. 1272/2008. Harlan Laboratories Ltd., Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK.
- 11. Robbins WA, Xun L, Jia J, Kennedy N, Elashoff D, Ping L (2010), Chronic boron exposure and human semen parameters, Repr Tox 29(2):184-90.
- 12. U.S. Environmental Protection Agency, Toxicological review of boron and compounds, EPA 635/04/052, June 2004.

16.4. Disclaimer of Liability

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its accuracy, reliability or completeness. The conditions or methods of handling, storage use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. It is the user's responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use.

This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Please note that the provision of this SDS being not mandatory, only an English version of this latter is available.

Safety Data Sheet Prepared by Arzu DEMİŞ Certificate Date: 30.09.2015 Certificate Number: 01.58.04

Safety Data Sheet Prepared by Zeynep GÜRTÜRK Certificate Date: 30.09.2015 Certificate Number: 01.58.07